



AMINA

IMMERSIVE INVISIBLE SOUND

CONTENTS

- 4. Introduction to Amina
- 6. The DML Effect
- 7. Acoustic and Construction Benefits
- 8. Always invisible solutions
- 10. Mobius Series loudspeakers
- 12. Edge Series loudspeakers
- 14. Edge Specifications
- 15. Mobius Specifications
- 16. Invisible Subwoofer Specifications
- 18. Support Products

INFO

www.aminasound.cominfo@aminasound.com

UK HEADQUARTERS

Cirrus House, Glebe Road, Huntingdon, Cambridgeshire, UK, PE29 7DL

©Amina Technologies Ltd. 2022





THE DML EFFECT

CONVENTIONAL SPEAKERS

DML SPEAKERS (180° DISPERSION)

With the invention of DML, Amina has been able to take the common loudspeaker design and replace the cone with a flat panel. Instead of moving forwards and backwards visibly like a typical cone design, a DML panel uses microscopic vibrations to generate sound, which can be heard, but not seen. This allows for seamless integration of a loudspeaker into any wall, ceiling or flat decorative panel with zero visual impact.

FREEDOM TO CREATE

Increasing demand for integrated lifestyle technology combined with the associated 'aesthetic-clutter' that it brings has led to a rise in hidden technology solutions. With 30% of brain power dedicated to visual stimulus and only 2% dedicated to audio, it is clear that the way we 'see' sound has a huge impact on the way we perceive it. By removing the aesthetic aspect, it allows complete focus on the audio art-form as it was intended.

ACOUSTIC BENEFITS

Amina DML loudspeakers provide full-bandwidth 180° dispersion and generate what is known as a diffuse spread-source waveform instead of a conventional point-source waveform. These dispersion characteristics allow the loudspeaker to produce smooth room filling immersive sound. Whether used for lower level everyday lifestyle listening, noise masking, foreground listening or home theatre application, Amina has a range of high fidelity invisible loudspeakers to match your requirements.

CONSTRUCTION BENEFITS

Consisting of a flat radiating panel and a low profile exciter drive system, Amina loudspeakers provide the opportunity to integrate seamlessly with the design of your space. Built into your flat section of wall, ceiling or piece of furniture, our loudspeakers generate room-filling sound while becoming completely invisible once installed.

Part loudspeaker and part construction material, Amina invisible loudspeakers are designed to be just as much a rugged building material as they are a precise acoustic device.

Designed for acoustic excellence, engineered for construction.

ALWAYS INVISIBLE

DRYWALL LOUDSPEAKERS

With cavity walls and ceilings being a staple of the construction industry globally, Edge**i** series loudspeakers provide a high performance solution in a lightweight and easy to install package where cavity walls and ceilings have been used.

Designed to replace a small section of plasterboard/drywall, Amina Edge**i** loudspeakers have their perimeter filled, taped and feathered in the same way that tapered board is installed and finished. The entire wall/ceiling is then painted and decorated, making the loudspeaker completely invisible.

Amina loudspeakers are only ever attached to the plasterboard itself and not the studwork, meaning that no special framing is required and reducing sound transmission.

FULLY COVERED LOUDSPEAKERS

Where drywall building techniques are not being used, or for where there is a specialist covering material, Amina Mobius is series loudspeakers provide a flexible sound solution for a range of design-led finishes.

Engineered to work with a covering material, Mobius *i* loudspeakers can be installed into a number of different materials or with a variety of finish options and provide ultimate installation flexibility.

Covering options include, but are not limited to, wood, leather, natural stone veneer, full plaster skim (cavity or solid block installation) or specialist finish such as acoustic or polished plaster. This includes DIBOND®, a composite material with Aluminium skins, available in various finishes, even including a mirror finish.

MOBIUSi SERIES

HIGHLY FLEXIBLE DESIGN INTEGRATION.

The Mobiusi series provides the greatest flexibility for interior design integration and installation of any invisible loudspeaker. Delivering incredible high frequency performance across the entire listening position, allowing for perfect reproduction with all the detail and clarity, no matter where in the space you are listening from.

Engineered to work behind a range of covering materials such as full plaster skim (2mm), wood, leather, or high pressure laminate, to name a few, Mobiusi series loudspeakers offer the most flexible invisible audio solution available.

EDGE*i* SERIES

THE LATEST INNOVATION IN INVISIBLE SPEAKER TECHNOLOGY.

A new revolutionary design for invisible loudspeaker technology, the Amina Edge*i* series offers smooth low frequency extension with increased power handling and sensitivity, resulting in a dynamic and engaging listening experience that has never previously been heard from an invisible loudspeaker.

Building on the incredible performance of the Amina Mobius series, Amina Edge*i* series loudspeakers incorporate OptiDampingTM, OptiDriveTM, and Amina's patented Reduced-resonance technology and ToneReliefTM technology. Designed for application within drywall construction techniques, Amina Edge*i* series loudspeakers incorporate a tapered perimeter. Once taped, filled, sanded and painted, the loudspeaker becomes fully invisible. The Amina Edge*i* series can also be installed in post-plaster situation (retrofit) where there is an existing full skim coat (Amina Edge*i* series loudspeakers should not be fully plastered over).

AMINA TECHNOLOGIES PRODUCT BROCHURE

EDGE*i* SERIES

MOBIUS*i* SERIES



Edge 7i

4 Ohms 75W/150W 90dB 1m/2.83Vrms 50Hz - 27kHz (- 6db)

1.8kg (3.96lbs) 450mm x 345mm x 36mm

BackboxCV345 APUi70C_2



Edge 5i

4 Ohms 50W/100W 90dB 1m/2.83Vrms 55Hz - 25kHz (- 6db)

1.3kg (2.86lbs) 450mm x 345mm x 36mm

BackboxCV345 APUi50C_2



Edge 3i

8 Ohms 30W/60W 86dB 1m/2.83Vrms 90Hz - 25kHz (- 6db)

1kg (2lbs 3oz) 400mm x 300mm x 30.7mm

BackboxCV300 APUi30C



Mobius 3i

4 Ohms 30W/60W 85dB 1m/2.83Vrms 87Hz - 19kHz (± 6db)

1.1kg (2lbs 6oz) 400mm x 300mm x 30.7mm

> BackboxCV300 APUi30C



Mobius 5i

4 Ohms 50W/100W 86dB 1m/2.83Vrms 70Hz - 27kHz (- 6db)

1.4kg (3.08lbs) 450mm x 345mm x 30.7mm

> BackboxCV345 APUi50C_2



Mobius 7i

4 Ohms 75W/150W 87dB 1m/2.83Vrms 65Hz - 27kHz (- 6db)

1.8kg (3.96lbs) 450mm x 345mm x 30.7mm

> BackboxCV345 APUi70C_2


AMINA TECHNOLOGIES PRODUCT BROCHURE

SUBWOOFERS

16

To add the wow factor to your project, Amina Invisible Subsubwoofers draw on traditional subwoofer technology to add extra warmth to your space, all the way to room shaking bass for multi-channel surround sound systems. Vented through a small port opening, Amina subwoofers and bass enhancers are actually designed to be installed into walls, ceilings, cabinetry or even positioned in-room.

Images shown to scale.



17

SUPPORT **PRODUCTS**

APU-RSiC

Passive rack-mounted protection unit for Amina lowimpedance invisible loudspeakers. For use in installations with higher numbers of low-impedance or low-impedance speakers with a centralised AV rack. Direct-to-PCB screw terminal-blocks allow for fast and easy permanent installation. Either 8 or 16 channel options available.

APUiC

Single channel in-line protection unit for use with all low-impedance Amina loudspeakers. Connected to the output terminal of the amplifier before the loudspeaker cable to allow maximum loudspeaker performance for a lifetime. Can be easily dressed back with any cable managément system.

Cavity wall backboxes are an easy to install mounting option for Amina loudspeakers into plasterboard cavity walls and ceilings (drywall). Creating an acoustically tuned cavity behind the loudspeaker, ensuring both consistent audio quality as well as minimising rearward airborne sound transmission.

The BackboxSW provides a mounting opțion for solid or block walls and ceilings with Amina invisible loudspeakers not suitable for installation of Edgei series loudspeakers]

Firehoods

Amina Firehoods by HoodyTM, allow you to easily meet fire rating requirements of a wall or ceiling with an inexpensive and easy to install solution, offering complete peace of mind. Constructed from an intumescent kevlar material, the Firehood comes in three different sizes, meaning that there is an option for each of the three speaker


sizes that Amina has to offer.

Mounting Blocks

For use when there is insufficient cavity is insufficient cavity space for an Amina cavity backbox (less than 75mm). Allows installation of Amina loudspeakers into plasterboard with plasterboard will a rear cavity depth of just 30mm (rear of loudspeaker should be covered using soft insulation material where mounting blocks are used to prevent ingress of debris over time.

Shims available to allow alignment of speaker and backbox with any thickness plasterboard other than 12.5mm (1/2") (or multi-layered build-up), ensuring that no more than 2mm plaster is applied to the front of a plaster-over loudspeaker. Shims' can be used for alignment in a retrofit installation or alignment of Edge*i* series loudspeakers.

Providing a great solution for highsolution for high-end commercial installations, all Amina invisible loudspeakers can be supplied with high-quality toroidally wound transformers for both 100V and 70V line systems. Available in either multi-tapped or fixed power varieties for power varieties for the most flexible commercial installation of invisible loudspeakers.





18











19

